



Department of Environmental Protection

32228-000 09.01.00,0057

Twin Towers Building 2600 Blair Stone Road Tallahassee, Florida 32399-2400 Virginia B. Watherell Secretary

January 24, 1997

Mr. David Driggers
Department of the Navy
Southern Division
Naval Facilities Engineering Command
2155 Eagle Drive, PO Box 190010
North Charleston, SC. 29419-9010

file: oldpest2.doc

RE: Letter Report - Surface Soil Sampling and Analytical Results - Original Pesticide Handling Area, US Naval Station, Mayport, Florida

Dear David:

I have reviewed the above letter report dated December 12, 1996 (received December 12, 1996). The report has generally addressed my previous concerns; however, because the site was a pesticide handling area, a representative ground water sample should be obtained and analyzed for the appropriate organic and inorganic constituents that may have been discharged from the site. Please submit the results of the analyses along with a revised recommendation for the site, if appropriate.

Thank you for the opportunity to review this report. If you have questions or require further clarification, please contact me at (904) 921-4230.

Sincerely,

ames H. Cason, P.G.

Remedial Project Manager

cc: Cheryl Mitchell NAVSTA Mayport

Martha Berry, EPA Region IV, Atlanta

Terry Hansen, ABB Environmental Services, Tallahassee

Satish Kastury, FDEP, Tallahassee

Brian Cheary, FDEP, Jacksonville

TJB<u>B</u>JJC<u>JJL</u>ESN*ESN/*

"Protect, Conserve and Manage Florida's Environment and Natural Resources"